

duraflex blue








Series : 1115

- Made with 100% virgin raw material
- The excellent flexibility makes it suitable for installation in small spaces
- Quick installation with special fittings dedicated

Pipe specification

Nominal diameter	Outside diameter	Inside diameter	Wall thickness		Working pressure Bar	Pressure max Bar
	mm	mm	MIL	mm		
15	15,00	11,00	79	2,00	8	16

Packaging and shipping

reel (mt) 	30,5
pallet (reel) 	small 76 100x120x180 cm
	*maxi 99 100x120x230 cm
truck 	*24 (pallet maxi) 2.376 (rotoli)
container 	10 (pallet small) 780 (reel)
	container 


* Only full load
Indicative data

Fittings

Male interlocking elbow 	7635	15 x 1/2"
	7636	15 x 3/4"
Female interlocking elbow 	7637	15 x 1/2"
	7638	15 x 3/4"
Straight interlocking male 	7639	15 x 1/2"
	7640	15 x 3/4"



duraflex orange



Series : 1119

- Made with 100% virgin raw material
- Kink-resistant
- Flexible enough to bend in tight spaces
- Safe installation using fittings in acetal-resin

Pipe specifications

Nominal diameter	Outside diameter	Inside diameter	Wall thickness		Working pressure	Pressure max
	mm	mm	MIL	mm	Bar	Bar
18	17,50	12,50	98	2,50	8	16

Packaging and shipping


reel (mt) 	30,5
pallet (reel) 	small 76 100x120x180 cm
	*maxi 99 100x120x230 cm
truck 	*24 (pallet maxi) 2.376 (rotoli)
container 	10 (pallet small) 780 (reel)
container 	*22 (pallet maxi) 2.178 (reel)

* Only full load
Indicative data

Fittings

Elbow male thread adaptor 	4224	18 X 1/2"
	4223	18 X 3/4"
Thread adaptor 	4222	18 X 1/2"
	4221	18 X 3/4"

duraflex black








Series : 1118

- Made with 100% virgin raw material
- Kink-resistant
- Flexible enough to bend in tight spaces
- Safe installation using fittings in acetal-resin

Pipe specifications

Nominal diameter	Outside diameter	Inside diameter	Wall thickness		Working pressure	Pressure max
	mm	mm	MIL	mm	Bar	Bar
18	17,50	12,50	98	2,50	8	16

Packaging and shipping

reel (mt) 	30,5
pallet (reel) 	small 76 100x120x180 cm
	*maxi 99 100x120x230 cm
truck 	*24 (pallet maxi) 2.376 (rotoli)
container 	10 (pallet small) 780 (reel)
container 	*22 (pallet maxi) 2.178 (reel)

* Only full load
Indicative data

Fittings

elbow male thread		4228	18 X 1/2"
		4227	18 X 3/4"
male thread		4230	18 X 1/2"
		4229	18 X 3/4"

